

Product Name :
Combined Flow Reactor

Product Code :
ChemicalREA-10017



Description :

Combined Flow Reactor

Technical Specification :

Stirrer for MFR: Stainless Steel Impeller and shaft coupled with FHP motor make

Feed Tank: Material Stainless Steel, Capacity - 20 Ltrs.

1st Reactor: Material Stainless Steel, Capacity 0.7 Ltrs. (approx)

2nd Reactor: Material Stainless Steel, Capacity 2 Ltrs (approx).

Feed circulation: By compressed air.

Pressure Gauge: Bourdon type 0-2 Kg/cm²

The whole set-up is ingeniously designed and schematically arranged on a powder-coated rigid structure.

Flow Measurement: Rotameter 2 Nos. (one each for Reactants)

Piping: Stainless Steel and PVC

Pressure Regulator: 0-2 Kg/cm²

Objectives:-

Sponification Reaction Study in Coil Tube Type Plug Flow Reactor

Sponification Reaction Study in an MFR.

Sponification Reaction Study in a Combined Reactor

To determine Reaction Rate Constant.

Required for Operation:-

Water Supply & Drain

Compressed Air Supply at 2 Bar, 0.5 CFM.

Instruments, Laboratory Glassware, and Chemicals required for analysis as per the system adopted.

Naugra Export

Website: www.naugraexport.com, **Email:** sales@naugraexport.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India, **Phone:** +91-0171-2643080, 2601773