Product Name:

Condensation Polymerization Reactor

Product Code:

ChemicalREA-10015



Description:

Condensation Polymerization Reactor

Technical Specification:

The polymerization reaction can be acid catalyzed or self-catalyzed.

Condensation Polymerization Reactor is used to carry out a condensation polymerization reaction under batch condition.

The set-up can be used to measure the extent of reaction & also the reaction rate constant.

The top cover can be removed for cleaning purpose.

| Feed is fed from the top through a funnel provided with S.S. Ball valve. |
|---|
| An outlet is given to condenser fitted with a perkin's triangle for collecting the condensate. |
| The set-up consists of jacketed type ss reactor fitted with variable speed agitator & baffles. |
| Metered quantity of nitrogen gas from a cylinder, allowed entering the reactor. |
| The set-up is complete & self-contained with sampling ports. |
| Vapours are allowed to enter in the shell of the condenser and cooling water is allowed to pass through the tube and condensate is collected. |
| The reactor is fitted with nichrome wire heaters and temperature is controlled by the digital temperature controller. |
| |
| |
| Objectives:- |
| To calculate the rate constant and extent of reaction with and without an acid catalyst. |

| To study the kinetics of condensation polymerization in a batch reactor under isothermal condition. |
|---|
| Required for operation:- |
| Electricity supply: single phase, 220v ac, 50 Hz, 5-15 amp. Combined socket with earth connection. |
| Floor area : 1.5 x 1 m |
| Instruments, laboratory wares, and chemicals required for analysis as per the system adopted. |
| Water supply |
| High purity n2 gas cylinder with pressure regulator, end connection 1/4" BSP female. |
| |
| Specifications:- |

| Heater: nichrome wire heater |
|---|
| Stirrer (2 nos.): stainless steel impeller and shaft coupled with the motor. |
| Stopwatch: Electronic |
| The whole set-up is ingeniously designed and schematically arranged on a powder-coated rigid structure. |
| Condenser: 18 long 1., concentric tube type |
| Reactor: material stainless steel, volume- 1 ltrs. (approx.) |
| Water bath: Material stainless steel, double wall, insulated with ceramic wool. |
| |

Naugra Export

 $\textbf{Website:} \ www.naugraexport.com, \textbf{Email:} \ sales@naugraexport.com$

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India, Phone: +91-0171-2643080, 2601773